

NPS-55Lw74071

# NAVAL POSTGRADUATE SCHOOL

## Monterey, California



PROPERTIES OF THE BIVARIATE DELAYED POISSON PROCESS

by

A. J. Lawrence

P. A. W. Lewis

July 1974

Approved for public release; distribution unlimited.

Prepared for:

Chief of Naval Research  
Arlington, Virginia 22217

FEDDOCS  
D 208.14/2:  
NPS-55LW74071

NAVAL POSTGRADUATE SCHOOL  
Monterey, California

Rear Admiral Isham Linder  
Superintendent

Jack R. Borsting  
Provost

The work reported herein was supported in part by the Office of Naval Research and the National Science Foundation.

Reproduction of all or part of this report is authorized.

This report was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS-55Lw74071	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)  Properties of the Bivariate Delayed Poisson Process		5. TYPE OF REPORT & PERIOD COVERED  Technical Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)  A. J. Lawrence P. A. W. Lewis		8. CONTRACT OR GRANT NUMBER(s)  NR042-284
9. PERFORMING ORGANIZATION NAME AND ADDRESS  Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61153N; RR014-05-01; NR 042-284 WR 5-0019
11. CONTROLLING OFFICE NAME AND ADDRESS  Chief of Naval Research Arlington, Virginia 22217		12. REPORT DATE  July 1974
		13. NUMBER OF PAGES  28
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)  Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)  Bivariate Poisson point process      Asynchronous counting Random delays of Poisson events      Semi-synchronous intervals Infinite Divisibility		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  The bivariate Poisson point process introduced in Cox and Lewis (1972), and there called the <u>bivariate delayed Poisson process</u> , is studied further; the process arises from pairs of delays on the events of a Poisson process. In particular, results are obtained for the stationary initial conditions, the joint distribution of the number of operative delays at an arbitrary time, the asynchronous counting distribution, and two semi-synchronous interval distributions. The joint delay distribution employed allows for (cont. next page)		

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

dependence and two-sided delays, but the model retains the independence between different pairs of delays.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## 1. Introduction.

The bivariate delayed Poisson process is a particular type of bivariate point process, that is a point process with two types of event occurring along a time axis. Bivariate point processes were first studied by Cox and Lewis (1972) in their Berkeley Symposium paper and here their analysis of the bivariate Poisson processes (without Poisson noise) is carried further. This bivariate point process is formed by subjecting the events of a main Poisson process to independent pairs of delays; the two types of delay for each main event produce the two types of event in the bivariate point process. Since it is well known that a Poisson process whose events are independently and identically displaced remains a Poisson process, the events of each type considered separately form two Poisson processes. They cannot, however, be independent Poisson processes because their events are associated in pairs by the displacement centres (the events of the original Poisson process). The resulting bivariate point process is by definition a particular type of bivariate Poisson process because its marginal processes for events of each type are themselves (univariate) Poisson processes. Cox and Lewis (1972) assumed a model in which the delays within pairs were independent and non-negative, and discussed the transient and asynchronous bivariate counting processes. We shall mainly assume that the delays within pairs are dependent and two-sided and will first obtain the stationary initial conditions. These lead to the joint distribution of the numbers of delays of each type in progress at an arbitrary time and a general form of the asynchronous bivariate counting distribution. Finally, we obtain the semi-synchronous marginal interval distribution, that is the distribution of the time from an event of one type to the next event of the opposite type; such distributions are of obvious use in the statistical analysis

of bivariate point processes, and have been studied in the context of the general theory by Wisniewski (1972). Milne (unpublished Ph.D. thesis), has shown that the bivariate Poisson process studied here is the most general form for an infinitely divisible bivariate point process.

## 2. Notation and Description of the Model.

The bivariate delayed Poisson process is constructed from a main Poisson process of rate  $\mu$ . Associated with each of its events is a pair of delays  $Y_a$  and  $Y_b$ ; thus an event at time  $t$  in the main Poisson process produces an event at time  $t + Y_a$  in the a-process and an event at time  $t + Y_b$  in the b-process. We will assume that the random variables  $Y_a$  and  $Y_b$  with ranges  $(-\infty, \infty)$  have finite means and a dependent joint distribution without any atoms. The pairs  $(Y_a, Y_b)$  associated with different main events are assumed to be independently and identically distributed.

The random variables  $N_a(t, t+t_a)$ ,  $N_b(t, t+t_b)$  denote the numbers of type-a and type-b events in the intervals  $(t, t+t_a]$  and  $(t, t+t_b]$ , respectively; when there can be no confusion these will be abbreviated to  $N_a(t_a)$  and  $N_b(t_b)$ , with joint probability generating function (j.p.g.f.),  $\phi(z_1, z_2; t_a, t_b)$ .

## 3. Stationary Initial Conditions.

The purpose and methodology of stationary initial conditions for univariate point processes have been described in Lawrance (1972); they carry over quite obviously to bivariate processes and so will not be laboured here. We wish to study the behaviour of the process at an arbitrary time, and this is defined as the time  $t$  as  $t \rightarrow \infty$ . It is apparent for the bivariate delayed Poisson process that at any time  $t$  there may be a (random) number of events of each type in the course of being delayed. The initial conditions must



therefore specify jointly the distribution of these numbers and the individual residual delay times measured from  $t$ . We begin by dealing with the numbers and delay times which are associated with main events occurring before time  $t$ ; however, when delays can be negative (or advances), we have also to consider delays associated with main events after time  $t$ .

The behaviour at time  $t$  yields to an analysis of the pairwise behaviour of  $(Y_a, Y_b)$  for each main event in  $(0, t]$ . There are four possibilities concerning the type-a and type-b events which terminate  $Y_a$  and  $Y_b$ : both occur after time  $t$ , type-a occurs after time  $t$  and type-b before time  $t$ , vice-versa, and both occur before time  $t$ . Let there be  $n$  main events in  $(0, t]$ , with  $Z_t, Z_t^{(a)}, Z_t^{(b)}$  and  $n - Z_t - Z_t^{(a)} - Z_t^{(b)}$  main events giving pairs of type-a and type-b events of the above four types, respectively. Let  $\{Y_a(i), Y_b(i)\}$  for  $i = 1, 2, \dots, Z_t$  be the delay times past  $t$  associated with main events counted by  $Z_t$ , and similarly let  $Y'_a(i)$  for  $i = 1, 2, \dots, Z_t^{(a)}$  and  $Y'_b(i)$  for  $i = 1, 2, \dots, Z_t^{(b)}$  be the delay times past  $t$  associated with the other two situations.

The key feature of the present model which makes it tractable is that, given the  $n$  main events in  $(0, t]$ , they are independent and uniformly distributed over this interval. Thus we can see that

$$P \left[ \begin{array}{l} Z_t = k, Y_a(i) \geq a_i, Y_b(i) \geq b_i \text{ for } i = 1, 2, \dots, k \\ Z_t^{(a)} = k_a, Y'_a(i) \geq a'_i \text{ for } i = 1, 2, \dots, k_a \\ Z_t^{(b)} = k_b, Y'_b(i) \geq b'_i \text{ for } i = 1, 2, \dots, k_b \end{array} \right]$$

$$= \sum_{n=k+k_a+k_b}^{\infty} e^{-\mu t} \frac{(\mu t)^n}{n!} \frac{n!}{(n-k-k_a-k_b)! k! k_a! k_b!}$$

$$\begin{aligned}
& \times \left\{ \frac{1}{t} \int_{v=0}^t P(Y_a < v, Y_b < v) dv \right\}^{n-k-k_a-k_b} \\
& \times \prod_{i=1}^k \left\{ \frac{1}{t} \int_{v=0}^t P(Y_a > v+a_i, Y_b > v+b_i) dv \right\} \\
& \times \prod_{i=1}^{k_a} \left\{ \frac{1}{t} \int_{v=0}^t P(Y_a > v+a'_i, Y_b < v) dv \right\} \\
& \times \prod_{i=1}^{k_b} \left\{ \frac{1}{t} \int_{v=0}^t P(Y_a < v, Y_b > v+b'_i) dv \right\}. \tag{3.1}
\end{aligned}$$

In (3.1) the variable  $v$  is used to denote that the typical main event being considered is located at time  $t - v$ , or a time point  $v$  before  $t$ . Letting  $t \rightarrow \infty$  in (3.1) we obtain after a little simplification, and dropping the suffix  $t$ , the arbitrary time initial conditions as

$$\begin{aligned}
& P \left[ \begin{array}{l} Z = k, Y_a(i) \geq a_i, Y_b(i) \geq b_i \text{ for } i = 1, 2, \dots, k \\ Z^{(a)} = k_a, Y'_a(i) \geq a'_i \text{ for } i = 1, 2, \dots, k_a \\ Z^{(b)} = k_b, Y'_b(i) \geq b'_i \text{ for } i = 1, 2, \dots, k_b \end{array} \right] \\
& = \exp\left\{-\mu \int_{v=0}^{\infty} [1 - P(Y_a < v, Y_b < v)] dv\right\} \\
& \times (k!)^{-1} \prod_{k=1}^k [\mu \int_{v=0}^{\infty} P(Y_a > v+a_i, Y_b > v+b_i) dv] \\
& \times (k_a!)^{-1} \prod_{i=1}^{k_a} [\mu \int_{v=0}^{\infty} P(Y_a > v+a'_i, Y_b < v) dv] \\
& \times (k_b!)^{-1} \prod_{i=1}^{k_b} [\mu \int_{v=0}^{\infty} P(Y_a < v, Y_b > v+b'_i) dv]. \tag{3.2}
\end{aligned}$$



Both (3.1) and (3.2) are valid for  $k, k_a, k_b \geq 0$  subject to the interpretation that when any of  $k, k_a, k_b$  are zero the corresponding products are omitted.

We next consider the behaviour at any particular time, which we take as zero, which is due to negative delays. We must consider the behaviour at 0 due to main events in  $(0, t]$  and then let  $t \rightarrow \infty$ . The situation is similar to that just considered except that we are interested in the 'overshoots' of the delays past zero in the negative direction. For each event in  $(0, t]$  we either have a double overshoot, an overshoot of type-a only, an overshoot of type-b only, or no overshoot at all. Let these overshoots, measured as positive quantities, be denoted by  $X_a(i), X_b(i)$  for  $i = 1, 2, \dots, k$ ,  $X'_a(i)$  for  $i = 1, 2, \dots, k_a$  and  $X'_b(i)$  for  $i = 1, 2, \dots, k_b$ . Here we have changed from  $Y$  to  $X$  in our notation of the 'forward' initial conditions, and will use  $\xi$  instead of  $Z$  for counting the main events. The 'backward' initial conditions can now be obtained analogously to the forward ones, and yield after some reduction

$$\begin{aligned}
 P \left[ \begin{array}{l} \xi = k, X_a(i) \geq a_i, X_b(i) \geq b_i \text{ for } i = 1, 2, \dots, k \\ \xi^{(a)} = k_a, X'_a(i) \geq a'_i \text{ for } i = 1, 2, \dots, k_a \\ \xi^{(b)} = k_b, X'_b(i) \geq b'_i \text{ for } i = 1, 2, \dots, k_b \end{array} \right] \\
 = \exp \left\{ -\mu \int_{v=-\infty}^0 [1 - P(Y_a > v, Y_b > v)] dv \right\} \\
 \times (k!)^{-1} \pi^k [\mu \int_{v=-\infty}^0 P(Y_a < v - a_i, Y_b < v - b_i) dv] \\
 \times (k_a!)^{-1} \pi_a^{k_a} [\mu \int_{v=-\infty}^0 P(Y_a > v - a'_i, Y_b < v) dv] \\
 \times (k_b!)^{-1} \pi_b^{k_b} [\mu \int_{v=-\infty}^0 P(Y_a > v, Y_b < v - b'_i) dv] . \quad (3.3)
 \end{aligned}$$

A point to notice about both the forward and backward initial conditions is that they do not simplify appreciably when the delays within pairs are independent. Even if  $Y_a$  and  $Y_b$  are independent in the model, the initial pairwise delays,  $X_a(i)$  and  $X_b(i)$ , if there are any, will be dependent.

#### 4. The Numbers of Events in the Course of Being Delayed.

One aspect of the bivariate delayed Poisson process, considered at an arbitrary time  $t$ , is the number of events in the main process generated before time  $t$  which are delayed until after time  $t$ , and conversely the number of events generated after time  $t$  which are advanced to before time  $t$ . Now the bivariate delayed Poisson process can be regarded as a simple bivariate case of Lewis's branching Poisson process (Lewis, 1964), where a main event generates two subsidiary processes each of one event. In this terminology we will be obtaining the joint distribution of the numbers of each type of subsidiary process running at an arbitrary time. It is shown in Lewis (1964) for positive independent delays that marginally the distribution will be Poisson with means  $E(Y_a)$ ,  $E(Y_b)$ ; and also, for positive independent delays, the joint Poisson distribution is stated in Cox and Lewis (1972). The result of two-sided dependent delays is derived here, and perhaps places the earlier results in a wider perspective.

The required joint distribution is obtained from the forward and backward initial conditions by first setting the  $a_i, a'_i$  and  $b_i, b'_i$  in (3.2) and (3.3) equal zero. The backward and forward contributions will be independent because of the main Poisson process, and we require the joint distribution of  $\{Z+Z^{(a)}, Z+Z^{(b)}\} + \{\xi+\xi^{(a)}, \xi+\xi^{(b)}\}$ . Let the probability generating functions (p.g.f.'s) of the two pairs be  $\phi_1(z_1, z_2)$  and  $\phi_2(z_1, z_2)$ . From (3.2) we thus have

$$\begin{aligned}
\varphi_1(z_1, z_2) &= \sum_{k=0}^{\infty} \sum_{k_a=0}^{\infty} \sum_{k_b=0}^{\infty} \exp\left\{-\int_{v=0}^{\infty} [1-P(Y_a < v, Y_b < v)] dv\right\} \\
&\quad \times (k!)^{-1} \left\{ \mu z_1 z_2 \int_{v=0}^{\infty} P(Y_a > v, Y_b > v) dv \right\}^k \\
&\quad \times (k_a!)^{-1} \left\{ \mu z_1 \int_{v=0}^{\infty} P(Y_a > v, Y_b < v) dv \right\}^{k_a} \\
&\quad \times (k_b!)^{-1} \left\{ \mu z_2 \int_{v=0}^{\infty} P(Y_a < v, Y_b > v) dv \right\}^{k_b} \\
&= \exp\left\{ \mu(z_1-1) \int_{v=0}^{\infty} P(Y_a > v) dv + (z_2-1) \mu \int_{v=0}^{\infty} P(Y_b > v) dv \right. \\
&\quad \left. + \mu(z_1-1)(z_2-1) \int_{v=0}^{\infty} P(Y_a > v, Y_b > v) dv \right\}. \quad (4.1)
\end{aligned}$$

This is the p.g.f. of a bivariate Poisson distribution  $\lambda$  and is essentially the result stated by Cox and Lewis (1972, equation (4.34)). For the negative delays (or advances) we have from (3.3)

$$\begin{aligned}
\varphi_2(z_1, z_2) &= \exp\left\{ \mu(z_1-1) \int_{v=-\infty}^0 P(Y_a < v) dv + \mu(z_2-1) \int_{v=-\infty}^0 P(Y_b < v) dv \right. \\
&\quad \left. + \mu(z_1-1)(z_2-1) \int_{v=-\infty}^0 P(Y_a < v, Y_b < v) dv \right\}. \quad (4.2)
\end{aligned}$$

The product of (4.1) and (4.2) gives  $\varphi(z_1, z_2)$ , the required p.g.f., and remains of the well known infinitely divisible bivariate Poisson form. The sum of the first integrals in (4.1) and (4.2) shows that the marginal means are  $E\{|Y_a|\}$  and  $E\{|Y_b|\}$ , respectively. We now show that the covariance term

$$\mu \left\{ \int_{v=-\infty}^0 P(Y_a < v, Y_b < v) dv + \int_{v=0}^{\infty} P(Y_a > v, Y_b > v) dv \right\}, \quad (4.3)$$

is, apart from the factor  $\mu$ , the expectation of  $M(Y_a, Y_b)$  where

$$M(Y_a, Y_b) = \begin{cases} 0 & \text{for } Y_a Y_b \leq 0 \\ \min\{|Y_a|, |Y_b|\} & \text{for } Y_a Y_b > 0. \end{cases} \quad (4.4)$$

This may be seen from the successive equalities

$$\begin{aligned} E\{M(Y_a, Y_b)\} &= E\{\min(Y_a, Y_b) | Y_a > 0, Y_b > 0\} P(Y_a > 0, Y_b > 0) \\ &\quad + E\{\min(-Y_a, -Y_b) | Y_a < 0, Y_b < 0\} P(Y_a < 0, Y_b < 0) \\ &= \int_{v=0}^{\infty} P(Y_a > v, Y_b > v | Y_a > 0, Y_b > 0) dv \times P(Y_a > 0, Y_b > 0) \\ &\quad + \int_{v=0}^{\infty} P(-Y_a > v, -Y_b > v | Y_a < 0, Y_b < 0) dv \times P(Y_a < 0, Y_b < 0) \\ &= \int_{v=0}^{\infty} P(Y_a > v, Y_b > v) dv + \int_{v=-\infty}^0 P(Y_a < v, Y_b < v) dv. \end{aligned} \quad (4.5)$$

The interpretation of  $M(Y_a, Y_b)$  is that it is the absolute length of the overlap of a pair  $(Y_a, Y_b)$ ; if  $Y_a$  and  $Y_b$  are of opposite sign there is no overlap and  $M(Y_a, Y_b)$  is zero. The joint distribution of the numbers of events which are in the course of being delayed at an arbitrary time thus has joint p.g.f.

$$\phi(z_1, z_2) = \exp\{(z_1 - 1)\mu E(|Y_a|) + (z_2 - 1)\mu E(|Y_b|) + (z_1 - 1)(z_2 - 1)\mu E[M(Y_a, Y_b)]\}. \quad (4.6)$$

When delays are non-negative,  $|Y_a| = Y_a, |Y_b| = Y_b, M(Y_a, Y_b) = \min(Y_a, Y_b)$  and (4.6) reduces the result stated by Cox and Lewis (1972). We may also note

that (4.6) applies to a bivariate generalized branching Poisson process, Lewis (1969), if  $Y_a$  and  $Y_b$  are understood as the durations of subsidiary processes. Further to Cox and Lewis's remarks in section 4.6 of their Berkeley paper, it is interesting to note that the initial conditions cannot be constructed from the joint probabilities in (4.6) and the marginal forward recurrence time distributions of  $Y_a$  and  $Y_b$ ; this is because the dependency structure requires the joint distribution of these quantities.

## 5. The Stationary Bivariate Counting Process.

In this section we obtain the joint p.g.f. of  $N_a(t_a)$  and  $N_b(t_b)$ , the number of events of type-a and type-b which occur in the intervals  $(0, t_a]$  and  $(0, t_b]$  of the stationary process. We know marginally that  $N_a(t_a)$  and  $N_b(t_b)$  are Poisson random variables of means  $\mu t_a$  and  $\mu t_b$ , so interest concerns their joint behaviour. Cox and Lewis (1972, Sections 4.3 and 4.4) obtained the joint distribution of  $N_a(t_a)$  and  $N_b(t_b)$  for pairwise independent and non-negative delays, and we present here the corresponding result for pairwise dependent and two-sided delays; this more general case is shown to produce a rather simpler result.

The type-a and type-b events in  $(0, t]$  arise from three sources: (1) those from main events in  $(-\infty, 0]$  which have been delayed into  $(0, t_a]$  or  $(0, t_b]$ ; (2) those from main events in  $(0, \max(t_a, t_b)]$  which have been delayed or advanced and are still in  $(0, t_a]$  or  $(0, t_b]$ ; (3) those from main events in  $(\max(t_a, t_b), \infty]$  which have been advanced into  $(0, t_a]$  or  $(0, t_b]$ . The contributions from these three sources are independently distributed in virtue of the Poisson main process, and we shall let their bivariate p.g.f.'s be denoted by  $\phi(z_1, z_2; -\infty, 0)$ ,  $\phi(z_1, z_2; 0, t_a, t_b)$  and  $\phi(z_1, z_2; t_a, t_b, \infty)$ , respectively.

Derivations of all three are similar; particular cases of the first two appear in Cox and Lewis (1972), and so we limit ourselves to the derivation of  $\varphi(z_1, z_2; t_a, t_b, \infty)$  which arises from negative delays. We first state for future reference,

$$\begin{aligned} \varphi(z_1, z_2; -\infty, 0) = & \exp\{\mu(z_1-1) \int_{v=0}^{\infty} P(v < Y_a < v+t_a) dv + \mu(z_2-1) \int_{v=0}^{\infty} P(v < Y_b < v+t_b) dv \\ & + \mu(z_1-1)(z_2-1) \int_{v=0}^{\infty} P(v < Y_a < v+t_a, v < Y_b < v+t_b) dv\} \quad (5.1) \end{aligned}$$

and

$$\begin{aligned} \varphi(z_1, z_2; 0, t_a, t_b) = & \exp\{\mu(z_1-1) \int_{v=0}^{\max(t_a, t_b)} P(-v < Y_a < t_a - v) dv + \mu(z_2-1) \int_{v=0}^{\max(t_a, t_b)} P(-v < Y_b < t_b - v) dv \\ & + \mu(z_1-1)(z_2-1) \int_{v=0}^{\max(t_a, t_b)} P(-v < Y_a < t_a - v, -v < Y_b < t_b - v) dv\}. \quad (5.2) \end{aligned}$$

For  $\varphi(z_1, z_2; t_a, t_b, \infty)$  consider events which are advanced from  $(\max(t_a, t_b), T]$  into  $(0, t_a]$  or  $(0, t_b]$ , and ultimately let  $T \rightarrow \infty$ . For a main event at time  $\max(t_a, t_b) + v$ , its contribution to  $\varphi(z_1, z_2; t_a, t_b, \infty)$  is

$$\begin{aligned} 1 + (z_1-1)P(-v-t_0 < Y_a < -v-t_1) + (z_2-1)P(-v-t_0 < Y_b < -v-t_2) \\ + (z_1-1)(z_2-1)P(-v-t_0 < Y_a < -v-t_1, -v-t_0 < Y_b < -v-t_2) \quad (5.3) \end{aligned}$$

where  $t_0 = \max(t_a, t_b)$ ,  $t_1 = \max(t_b - t_a, 0)$ ,  $t_2 = \max(t_a - t_b, 0)$ .

Conditional on the number of events in  $(t_0, T]$ , the terms (5.3) are independently and uniformly distributed over  $(t_0, T]$ . Hence, following the argument in section 3 to obtain the initial conditions, we obtain



$$\begin{aligned} \varphi(z_1, z_2; t_a, t_b, \infty) = & \exp\left\{\mu(z_1-1) \int_{v=0}^{\infty} P(-v-t_0 < Y_a < -v-t_1) dv + \mu(z_2-1) \int_{v=0}^{\infty} P(-v-t_0 < Y_b < -v-t_2) dv \right. \\ & \left. + \mu(z_1-1)(z_2-1) \int_{v=0}^{\infty} P(-v-t_0 < Y_a < -v-t_1, -v-t_0 < Y_b < -v-t_2) dv\right\}. \end{aligned} \quad (5.4)$$

We observe that (5.1), (5.2) and (5.4) are all of the infinitely divisible bivariate Poisson form, and thus it remains only to obtain expressions for the parameters in their product; this is the required bivariate p.g.f. Simple changes of variables in the integral coefficients of  $(z_1-1)$  show that their sum may be written

$$\mu \int_{v=-\infty}^{+\infty} P(v < Y_a < v+t_a) dv. \quad (5.5)$$

If we assume that  $Y_a$  has a density then this integral evaluates to  $\mu t_a$  straight away; generally we will make this assumption. However, if  $Y_a$  is restricted to non-negative values this may easily be proved without the assumption of a density. We thus have that  $N_a(t_a)$  and  $N_b(t_b)$  have marginal Poisson distributions of means  $\mu t_a$  and  $\mu t_b$ . Similarly, adding together the coefficients of  $(z_1-1)(z_2-1)$  from (5.1), (5.2) and (5.4) gives

$$\mu \int_{v=-\infty}^{+\infty} P(v < Y_a < v+t_a, v < Y_b < v+t_b) dv \quad (5.6)$$

as  $\text{Cov}\{N_b(t_a), N_b(t_b)\}$ , a quantity which is always non-negative.

Thus, the general result for the bivariate p.g.f. of  $N_a(t_a)$  and  $N_b(t_b)$  is

$$\begin{aligned} \varphi(z_1, z_2; t_a, t_b) = & \exp\{(z_1-1)\mu t_a + (z_2-1)\mu t_b \\ & + (z_1-1)(z_2-1)\mu \int_{v=-\infty}^{+\infty} P(v < Y_a < v+t_a, v < Y_b < v+t_b) dv\}. \end{aligned} \quad (5.7)$$

When  $Y_a$  and  $Y_b$  are non-negative, the covariance becomes

$$\mu \int_{v=0}^{\min(t_a, t_b)} P \left[ \begin{matrix} 0 < Y_a < t_a - v \\ 0 < Y_b < t_b - v \end{matrix} \right] dv + \mu \int_{v=0}^{\infty} P \left[ \begin{matrix} v < Y_a < v + t_a \\ v < Y_b < v + t_b \end{matrix} \right] dv, \quad (5.8)$$

and this makes (5.7) correspond to Cox and Lewis (1972, equation (4.25)).

Setting  $z_1 = z_2 = 0$  in (5.7) gives the bivariate exponential forward recurrence times; further details are given by Cox and Lewis.

## 6. The Semi-Synchronous Interval Distributions.

Finally, in this paper we consider the distributions of intervals between events in the bivariate delayed Poisson process; the intervals between events of the same type have trivially, exponential distributions of parameter  $\mu$ . Consequently, we shall be interested in the distribution of intervals between consecutive events of opposite type; these have been called by Cox and Lewis (1972) the semi-synchronous intervals. We take an arbitrary event of type-a, say, and require the distribution of the interval to the first subsequent event of type-b; this interval will be denoted by  $X_a^{(b)}$ . Some general theory relating synchronous, semi-synchronous and asynchronous interval distributions is given in Wisniewski (1972). We shall, however, develop our result from the definition in Cox and Lewis (1972),

$$P(X_a^{(b)} > x) = \lim_{t \downarrow 0} P\{N_b(t, t+x) = 0 \mid N_a(0, t) \geq 1\}, \quad (6.1)$$

which is analogous to the definition in Khintchine (1960, Section 9) of Palm functions for synchronous interval distributions. Taking (6.1) we write it as

$$P(X_a^{(b)} > x) = \lim_{t \downarrow 0} \left[ \frac{P\{N_b(t, t+x) = 0\} - P\{N_a(0, t) = 0, N_b(t, t+x) = 0\}}{P\{N_a(0, t) \geq 1\}} \right] \quad (6.2)$$

Dividing both the numerator and denominator by  $t$ , and assuming that the individual limits exist, as will be evident in a moment for the present process, we have the general result

$$P(X_a^{(b)} > x) = -\mu^{-1} D_t^+ P\{N_a(0, t) = 0, N_b(t, t+x) = 0\}_{t=0}. \quad (6.3)$$

Here  $D_t^+$  denotes a right hand derivative and  $\mu$  is the value of  $t^{-1}P\{N_a(0, t) \geq 1\}$  as  $t \downarrow 0$ ; the latter is trivially true from Khintchine's work since  $N_a(0, t)$  counts events in a Poisson process of rate  $\mu$ .

Our main concern now is thus to evaluate  $P\{N_a(0, t) = 0, N_b(t, t+x) = 0\}$  for the bivariate delayed Poisson process. Since  $N_a(0, t)$  and  $N_b(t, t+x)$  refer to the stationary process we must consider main events which have occurred in the intervals  $(-T_1, 0]$ ,  $(0, t]$  and  $(t, t+T_2]$ , eventually letting  $T_1$  and  $T_2 \rightarrow \infty$ . A main event which occurs at  $-v$  in  $(-T_1, 0]$  does not lead to an  $a$ -event in  $(0, t]$  or a  $b$ -event in  $(t, t+x]$  when its delays are such that  $Y_a \in [v, t+v]'$ ,  $Y_b \in [t+v, t+v+x]'$ , where prime denotes the complementary interval; similarly for a main event at  $v$  in  $(0, t]$  the condition on the delays is  $Y_a \in [-v, t-v]'$ ,  $Y_b \in [t-v, t-v+x]'$ , and finally for an event at  $t+v$  in  $(t, t+T_2]$  the condition is  $Y_a \in [-(t+v), -v]'$ ,  $Y_b \in [-v, x-v]'$ . Use of the conditional property of the main Poisson process for each of the intervals  $(-T_1, 0]$ ,  $(0, t]$  and  $(t, t+T_2]$ , leads to the result

$$\begin{aligned} P\{N_a(0, t) = 0, N_b(t, t+x) = 0\} &= \exp\left\{\mu \int_{v=0}^{\infty} [-1 + P\left\{\begin{matrix} Y_a \in [v, t+v]' \\ Y_b \in [t+v, t+v+x]' \end{matrix}\right\}] dv \right. \\ &+ \mu \int_{v=0}^t [-1 + P\left\{\begin{matrix} Y_a \in [-v, t-v]' \\ Y_b \in [t-v, t-v+x]' \end{matrix}\right\}] dv + \mu \int_{v=0}^{+\infty} [-1 + P\left\{\begin{matrix} Y_a \in [-(t+v), -v]' \\ Y_b \in [-v, x-v]' \end{matrix}\right\}] dv \Big\}. \end{aligned} \quad (6.4)$$

Slight changes of variable in the second and third terms then give

$$P\{N_a(0, t) = 0, N_b(t, t+x) = 0\} = \exp\left\{\mu \int_{u=-\infty}^{\infty} [-1 + P\left(\begin{matrix} Y_a \in [u, t+u] \\ Y_b \in [t+u, t+u+x] \end{matrix}\right)] du\right\} . \quad (6.5)$$

When the delays  $Y_a$  and  $Y_b$  are non-negative, the corresponding result is

$$\begin{aligned} P\{N_a(0, t) = 0, N_b(t, t+x) = 0\} = & \exp\left\{\mu \int_{u=0}^{\infty} [-1 + P\left(\begin{matrix} Y_a \in [u, t+u] \\ Y_b \in [t+u, t+u+x] \end{matrix}\right)] du\right. \\ & \left. + \mu \int_{u=0}^t [-1 + P\left(\begin{matrix} Y_a > u \\ Y_b \in [u, u+x] \end{matrix}\right)] du - \mu \int_{u=0}^x P(Y_b < u) du\right\} . \end{aligned} \quad (6.6)$$

We can now use (6.3) for the semi-synchronous interval distribution and have

$$\begin{aligned} P\{X_a^{(b)} > x\} = & \left[ D_t^+ \int_{u=-\infty}^{+\infty} [1 - P\left(\begin{matrix} Y_a \in [u, t+u] \\ Y_b \in [t+u, t+u+x] \end{matrix}\right)] du \right] (t=0) \\ & \times \exp\left\{\mu \int_{u=-\infty}^{+\infty} [-1 + P\left(\begin{matrix} Y_a \in [u, t+u] \\ Y_b \in [t+u, t+u+x] \end{matrix}\right)] du\right\} (t=0) . \end{aligned} \quad (6.7)$$

The second term in (6.7) becomes  $\exp(-\mu x)$  when  $t = 0$  since the exponent is then of the form (5.5); the first term may be alternatively written as

$$D_t^+ \left[ \int_{u=-\infty}^{+\infty} [P(u < Y_a < t+u) + P(t+u < Y_b < t+u+x) - P\left(\begin{matrix} u < Y_a < t+u \\ t+u < Y_b < t+u+x \end{matrix}\right)] du \right] (t=0) ,$$

which then simplifies to

$$1 - D_t^+ \left[ \int_{u=-\infty}^{+\infty} P\left(\begin{matrix} u < Y_a < t+u \\ t+u < Y_b < t+u+x \end{matrix}\right) du \right] (t=0) . \quad (6.8)$$

After writing the derivative in the incremental way and examining the expression at  $t = 0$ , it is found that (6.8) becomes  $P(Y_b - Y_a \in [0, x])$ . Thus from (6.7), we have the main result of this section as

$$P\{X_a^{(b)} > x\} = P(Y_b - Y_a \in [0, x]) \exp(-\mu x), \quad (6.9)$$

and it is clear that this is a proper survivor function. One particular case of (6.9) is when  $Y_a$  and  $Y_b$  have exponential distributions of parameters  $\lambda_a$  and  $\lambda_b$ ; then the p.d.f. of  $X_a^{(b)}$  has the mixed-exponential form

$$f_a^{(b)}(x) = \frac{\lambda_a}{\lambda_a + \lambda_b} (\mu + \lambda_b) e^{-(\mu + \lambda_b)x} + \frac{\lambda_b}{\lambda_a + \lambda_b} e^{-\mu x}. \quad (6.10)$$

The distribution of  $Y_b - Y_a$  appearing in (6.9) also features in other aspects of the bivariate delayed Poisson process, as mentioned by Cox and Lewis (1972), and the reason is fairly evident. For some purposes, the main Poisson process can be eliminated from the model by concentrating on (say) just the type-a events; a type-b event occurs at a distance  $Y_b - Y_a$  from its type-a event, and these follow a Poisson process anyway. Such reasoning leads to a quicker derivation of (6.9), but our aim here has been to apply, for the first time it is believed, the semi-synchronous definition (6.1). It should be noted however, that the univariate process with displacements  $Y_b - Y_a$  is not identical to our delayed Poisson process in all respects; for instance, in terms of initial conditions and numbers of events in the course of being delayed. Some joint counting distributions for the univariate delayed Poisson process have been obtained by Milne (1970) when pursuing identifiability questions.

Finally, we note that a joint distribution of interest is that of  $X_a^{(b)}$  together with that of  $X_a^{(a)}$ , the interval from the arbitrary type-a event to

the next type-a event. We can define generally the required joint distribution as

$$P\{X_a^{(a)} > x, X_a^{(b)} > y\} = \lim_{t \downarrow 0} P\{N_a(t, t+x) = 0, N_b(t, t+y) = 0 \mid N_a(0, t) \geq 1\}, \quad (6.11)$$

or use the univariate delayed Poisson process with  $Y \equiv Y_b - Y_a$  as the displacements. We follow the latter course. Taking our origin as an event in the Poisson process of type-a events, we require that there be no type-a events in  $(0, x]$  and no type-b events in  $(0, y]$ . We consider type-a events which have been generated in  $(-T_1, 0]$  and  $(x, T_2]$  and then let  $T_1$  and  $T_2$  tend to infinity; thus

$$\begin{aligned} P(X_a^{(a)} > x, X_a^{(b)} > y) = & \\ & \lim_{\substack{T_1 \rightarrow \infty \\ T_2 \rightarrow \infty}} \sum_{r=0}^{\infty} e^{-\mu T_1} \frac{(\mu T_1)^r}{r!} \left[ \frac{1}{T_1} \int_{v=0}^{T_1} P(Y \in [v, v+y]') dv \right]^r \times e^{-\mu x} \times \\ & \sum_{s=0}^{\infty} e^{-\mu T_2} \frac{(\mu T_2)^s}{s!} \left[ \frac{1}{T_2} \int_{v=0}^{T_2} P(Y \in [-v-x, y-v-x]') dv \right]^s P(Y \in [0, y]') \end{aligned} \quad (6.12)$$

which may be simplified to

$$P(X_a^{(a)} > x, X_a^{(b)} > y) = \exp\{-\mu x - \mu y + \mu \int_{u=-x}^0 P(u < Y_b - Y_a < u+y) du\} \times P(Y_b - Y_a \in [0, y]'). \quad (6.13)$$

This joint distribution has the marginal distributions already discussed. From a statistical analysis point of view it would be useful to obtain the correlation between  $X_a^{(a)}$  and  $X_a^{(b)}$ ; however, it appears from (6.13) that no simple general expression will be available, although (6.13) should yield the result with particular assumptions on the delay structure.



### ACKNOWLEDGMENTS

Some results of the paper were obtained while we were both working at the IBM Research Center, New York; we wish to acknowledge the support received.

### REFERENCES

- Cox, D. R. and Lewis, P. A. W. (1970). Multivariate point processes. In Proceedings of the Sixth Berkeley Symposium on Mathematical Statistics and Probability, Vol. 3, (Lecam et al, ed.) pp. 401-448. Berkeley: Univ. of California Press.
- Khintchine, A. Y. (1960). Mathematical Methods in the Theory of Queueing. London: Griffin.
- Lawrance, A. J. (1972). Some models for stationary series of univariate events. In Stochastic Point Processes: Statistical Analysis, Theory and Applications (P. A. W. Lewis, ed.), pp. 199-256). New York: Wiley.
- Lewis, P. A. W. (1964). A branching Poisson process model for the analysis of computer failure patterns. J. R. Statist. Soc. B 26, 398-456.
- Lewis, P. A. W. (1969). Asymptotic properties and equilibrium conditions for branching Poisson processes. J. Appl. Prob. 6, 355-371.
- Milne, R. K. (1970). Identifiability for random translations of Poisson processes. Z. Wahrscheinlichkeitstheorie 15, 195-201.
- Wisniewski, T. K. M. (1972). Bivariate stationary point processes, fundamental relations and first recurrence times. Adv. Appl. Prob. 4, 296-317.

OFFICE OF NAVAL RESEARCH  
STATISTICS AND PROBABILITY PROGRAM

BASIC DISTRIBUTION LIST  
FOR  
UNCLASSIFIED TECHNICAL REPORTS

JUNE 1973

	Copies		Copies
Statistics and Probability Program		Director	
Office of Naval Research		Office of Naval Research	
Attn: Dr. B. J. McDonald		Branch Office	
Arlington, Virginia 22217	3	536 South Clark Street	
		Attn: Dr. A. R. Dawe	
		Chicago, Illinois 60605	1
Director, Naval Research Laboratory		Office of Naval Research	
Attn: Library, Code 2029		Branch Office	
(ONRL)		536 South Clark Street	
Washington, D. C. 20390	6	Attn: Dr. P. Patton	
		Chicago, Illinois 60605	1
Defense Documentation Center		Director	
Cameron Station		Office of Naval Research	
Alexandria, Virginia 22314	2	Branch Office	
Defense Logistics Studies		1030 East Green Street	
Information Exchange		Attn: Dr. A. R. Laufer	
Army Logistics Management Center		Pasadena, California 91101	1
Attn: Arnold Hixon		Office of Naval Research	
Fort Lee, Virginia 23801	1	Branch Office	
Technical Information Division		1030 East Green Street	
Naval Research Laboratory		Attn: Dr. Richard Lau	
Washington, D. C. 20390	6	Pasadena, California 91101	1
Office of Naval Research		Office of Naval Research	
New York Area Office		San Francisco Area Office	
207 West 24th Street		760 Market Street	1
Attn: Dr. Jack Laderman		San Francisco, California 94102	
New York, New York 10011	1	Technical Library	
Director		Naval Ordnance Station	
Office of Naval Research		Indian Head, Maryland 20640	1
Branch Office		Prof. D. R. McNeil	
495 Summer Street		Statistics Department	
Attn: Dr. A. L. Powell		Princeton University	
Boston, Massachusetts 02210	1	Princeton, New Jersey 08540	1

## Copies

## Copies

Naval Ship Engineering Center Philadelphia Division Technical Library Philadelphia, Pennsylvania 19112	1	Florida State University Department of Statistics Attn: Prof. I. R. Savage Tallahassee, Florida 32306	1
Bureau of Naval Personnel Department of the Navy Technical Library Washington, D.C. 20370	1	Florida State University Department of Statistics Attn: Prof. R. A. Bradley Tallahassee, Florida 32306	1
Library, Code 0212 Naval Postgraduate School Monterey, California 93940	1	Princeton University Department of Statistics Attn: Prof. J. W. Tukey Princeton, New Jersey 08540	1
Library Naval Electronics Laboratory Center San Diego, California 92152	1	Princeton University Department of Statistics Attn: Prof. G. S. Watson Princeton, New Jersey 08540	1
Naval Undersea Center Technical Library San Diego, California 92132	1	Stanford University Department of Statistics Attn: Prof. T. W. Anderson Stanford, California 94305	1
Applied Mathematics Laboratory Naval Ships Research and Development Center Attn: Mr. Gene H. Gleissner Washington, D. C. 20007	1	University of California Department of Statistics Attn: Prof. P. J. Bickel Berkeley, California 94720	1
Office of Chief of Naval Operations (Op 964) Ballston Tower No. 2 Attn: Mr. A. S. Rhodes Arlington, Virginia 22203	1	University of Washington Department of Mathematics Attn: Prof. Z. W. Birnbaum Seattle, Washington 98105	1
Professor Ulf Grenander Applied Mathematics Brown University Providence, Rhode Island 02900	1	Harvard University Department of Statistics Attn: Prof. W. G. Cochran Cambridge, Massachusetts 02139	1
University of Chicago Department of Statistics Attn: Prof. W. Kruskal Chicago, Illinois 60637	1	Columbia University Department of Civil Engineering and Engineering Mechanics Attn: Prof. C. Derman New York, New York 10027	1
Stanford University Department of Operations Research Attn: Prof. G. J. Lieberman Stanford, California 94305	1	Columbia University Department of Mathematics Attn: Prof. H. Robbins New York, New York 10027	1

## Copies

## Copies

New York University  
Institute of Mathematical  
Sciences  
Attn: Prof. W. M. Hirsch  
New York, New York 10453 1

University of North Carolina  
Department of Statistics  
Attn: Prof. W. L. Smith  
Chapel Hill, North Carolina 27514 1

University of North Carolina  
Department of Statistics  
Attn: Prof. M. R. Leadbetter  
Chapel Hill, North Carolina 27514 1

Purdue University  
Department of Statistics  
Attn: Prof. H. Rubin  
Lafayette, Indiana 47907 1

University of California  
San Diego  
Department of Mathematics  
P. O. Box 109  
Attn: Prof. M. Rosenblatt  
La Jolla, California 92038 1

University of Wisconsin  
Department of Statistics  
Attn: Prof. G. E. P. Box  
Madison, Wisconsin 53706 1

State University of New York  
Chairman, Department of Statistics  
Attn: Prof. E. Parzen  
Buffalo, New York 14214 1

University of California  
Operations Research Center  
Attn: Prof. R. E. Barlow  
Berkeley, California 94720 1

Yale University  
Department of Statistics  
Attn: Prof. F. J. Anscombe  
New Haven, Connecticut 06520 1

Purdue University  
Department of Statistics  
Attn: Prof. S. S. Gupta  
Lafayette, Indiana 47907 1

Cornell University  
Department of Operations Research  
Attn: Prof. R. E. Bechhofer  
Ithaca, New York 14850 1

Stanford University  
Department of Mathematics  
Attn: Prof. S. Karlin  
Stanford, California 94305 1

Southern Methodist University  
Department of Statistics  
Attn: Prof. D. B. Owen  
Dallas, Texas 75222 1

University of Georgia  
Department of Statistics  
Attn: Prof. R. E. Bargmann  
Athens, Georgia 30601 1

Daniel H. Wagner, Associates  
Station Square One  
Paoli, Pennsylvania 19301 1

Stanford University  
Department of Operations Research  
Attn: Prof. A. F. Veinott  
Stanford, California 94305 1

Stanford University  
Department of Operations Research  
Attn: Prof. D. L. Iglehart  
Stanford, California 94305 1

Stanford University  
Department of Statistics  
Attn: Prof. Herbert Solomon  
Stanford, California 94305 1

Prof. . Kleinrock  
Computer Science Department  
UCLA  
Los Angeles, California 90024 1



## Copies

## Copies

University of North Carolina  
 Department of Statistics  
 Attn: Prof. C. R. Baker  
 Chapel Hill, North Carolina 27514 1

Clemson University  
 Department of Mathematics  
 Attn: Prof. K. T. Wallenius  
 Clemson, South Carolina 29631 1

University of California  
 Department of Statistics  
 Attn: Charles E. Antoniak  
 Berkeley, California 94720 1

Clarkson College of Technology  
 Division of Research  
 Attn: Prof. M. Arozullah  
 Potsdam, New York 13676 1

University of Southern California  
 Electrical Sciences Division  
 Attn: Prof. W. C. Lindsey  
 Los Angeles, California 90007 1

Case Western Reserve University  
 Department of Mathematics and  
 Statistics  
 Attn: Prof. S. Zacks  
 Cleveland, Ohio 44106 1

University of Florida  
 Department of Electrical Engineering  
 Attn: Prof. D. G. Childers  
 Gainesville, Florida 32601 1

Stanford University  
 Department of Statistics  
 Attn: Prof. H. Chernoff  
 Stanford, California 94305 1

Naval Research Laboratory  
 Electronics Division  
 (Code 5267)  
 Attn: Mr. Walton Bishop  
 Washington, D. C. 20390 1

Commandant of the Marine Corps  
 (Code AX)  
 Attn: Dr. A. L. Slafkosky  
 Scientific Advisor  
 Washington, D. C. 20380 1

Program in Logistics  
 The George Washington University  
 Attn: Dr. W. H. Marlow  
 707 22nd Street, N.W.  
 Washington, D. C. 20037 1

Mississippi Test Facility  
 East Resources Laboratory  
 (Code GA)  
 Attn: Mr. Sidney L. Whitley  
 Bay St. Louis, Mississippi 39520 1

Naval Postgraduate School  
 Department of Operations Research  
 and Administrative Sciences  
 Attn: Prof. P. A. W. Lewis  
 Monterey, California 93940 1

Southern Methodist University  
 Department of Statistics  
 Attn: Prof. W. R. Schucany  
 Dallas, Texas 75222 1

University of Missouri  
 Department of Statistics  
 Attn: Prof. W. A. Thompson, Jr.  
 Columbia, Missouri 65201 1

Rice University  
 Department of Mathematical Sciences  
 Attn: Prof. J. R. Thompson  
 Houston, Texas 77001 1

University of California  
 System Science Department  
 Attn: Prof. K. Yao  
 Los Angeles, California 90024 1

Naval Postgraduate School  
 Department of Mathematics  
 Attn: P. C. C. Wang  
 Monterey, California 93940 1

# Copies

Raytheon Company Submarine Signal Division Attn: Dr. W. S. Liggett, Jr. Portsmouth, Rhode Island 02871	1	Smithsonian Institution Astrophysical Observatory Attn: Dr. C. A. Lundquist Cambridge, Massachusetts 02138	1
University of California Department of Information and Computer Science Attn: Prof. E. Masry La Jolla, California 92037	1	Naval Postgraduate School Department of Operations Research and Administrative Sciences Attn: Prof. J. D. Esary Monterey, California 93940	1
University of California School of Engineering Attn: Prof. N. J. Bershad Irvine, California 92664	1	Polytechnic Institute of Brooklyn Department of Electrical Engineering Attn: Prof. M. L. Snooman Brooklyn, New York 11201	1
University of California School of Engineering and Applied Science Attn: Prof. I. Rubin Los Angeles, California 90024	1	Union College Institute of Industrial Administration Attn: Prof. L. A. Aroian Schenectady, New York 12308	1
Virginia Polytechnic Institute Department of Statistics Attn: Prof. R. Myers Blacksburg, Virginia 24061	1	Ultrasonics, Inc. Attn: Dr. D. C. Dorrough 500 Newport Center Drive Newport Beach, California 92660	1
New York University Department of Electrical Engineering Attn: Prof. I. Yagoda Bronx, New York 10453	1	University of New Mexico Department of Mathematics and Statistics Attn: Prof. W. J. Zimmer Albuquerque, New Mexico 87106	1
University of Rochester Department of Statistics Attn: Prof. J. Keilson Rochester, New York 14627	1	American University Department of Mathematics and Statistics Attn: Prof. N. Macon Washington, D. C. 20016	1
University of Michigan Department of Industrial Engineering Attn: Prof. R. L. Disney Ann Arbor, Michigan 48104	1	Carnegie-Mellon University Department of Statistics Attn: Prof. J. B. Kadane Pittsburgh, Pennsylvania 15213	1
Cornell University Department of Computer Science Attn: Prof. J. E. Hopcroft Ithaca, New York 14850	1	University of Wyoming Department of Statistics Attn: Prof. L. L. McDonald Laramie, Wyoming 82070	1



## Copies

## Copies

Colorado State University  
Department of Electrical  
Engineering  
Attn: Prof. L. L. Schraf, Jr.  
Fort Collins, Colorado 80521

1

Catholic University of America  
Department of Electrical  
Engineering  
Attn: Prof. J. S. Lee  
Washington, D. C. 20017

1

University of California  
Department of Biomathematics  
Attn: Prof. V. K. Murthy  
Los Angeles, California 90024

1

University of Minnesota  
Department of Physics  
Attn: Prof. H. G. Hanson  
Duluth, Minnesota 55812

1

Carnegie-Mellon University  
Department of Statistics  
Attn: Prof. M. J. Hinich  
Pittsburgh, Pennsylvania 15213

1

Texas Tech University  
College of Engineering  
Attn: Prof. H. F. Martz, Jr.  
Lubbock, Texas 79409

1

Systems Control, Inc.  
260 Sheridan Avenue  
Attn: Dr. H. P. Yuen  
Palo Alto, California 94306

1

Society for Industrial and  
Applied Mathematics  
33 South 17th Street  
Attn: Dr. W. J. Jameson, Jr.  
Philadelphia, Pennsylvania 19103

1

Western Michigan University  
Department of Mathematics  
Attn: Prof. A. B. Clarke  
Kalamazoo, Michigan 49001

1

Rocketdyne  
North American Rockwell  
Attn: Dr. M. R. Mann  
Canoga Park, California 91304

1

Northwestern University  
Department of Industrial Engineering  
and Management Sciences  
Attn: Prof. W. P. Pierskalla  
Evanston, Illinois 60201

1

University of Southern California  
Graduate School of Business  
Administration and School of  
Business  
Attn: Prof. W. R. Blischke  
Los Angeles, California 90007

1

Naval Ordnance Systems Command  
NOR 1135  
Attn: Mr. O. Seidman  
Room 6E08, National Center #2  
Arlington, Virginia 20360

1

Naval Coastal System Laboratory  
Code P761  
Attn: Mr. C. M. Bennett  
Panama City, Florida 32401

1

Food and Drug Administration  
Statistics and Information  
Science Division  
Health Protection Branch  
Attn: Dr. A. Petrasovits, Head,  
Survey Design and Quality Control  
355 River Road, 4th Floor  
Vanier, Ontario, Canada

1

National Security Agency  
Attn: Dr. James R. Maar  
Fort Meade, Maryland 20755

1

Naval Ship Systems Command  
(SHIPS 0311)  
Attn: Miss B. S. Orleans  
National Center #3, Rm. 10S08  
Arlington, Virginia 20360

1

# Copies

Department of the Army  
OCD - 419  
3045 Columbia Pike  
Attn: Dr. F. Frishman  
Arlington, Virginia 20315

1

National Security Agency  
Attn: Mr. Glenn F. Stahly  
Fort Meade, Maryland 20755

1

Mr. F. R. Del Priori  
Code 224  
Operational Test and Evaluation  
Force (OPTEVFOR)  
Norfolk, Virginia 23511

1

Naval Electronic Systems Command  
(NELEX 035D)  
Attn: LCDR R. L. Himbarger  
National Center No. 1, Rm. 7W28  
Arlington, Virginia 20360

1

Prof. R. Muntz  
Computer Science Department  
UCLA  
Los Angeles, California 90024

1

Mr. R. B. Agins  
Mathematical Sciences  
National Science Foundation  
18th and G, N.W.  
Washington, D. C.

1

Prof. Robert Stark  
Statistics and Computer Science  
University of Delaware  
Newark, Delaware 19711

1

Dr. J. McCredie  
Computer Science Department  
Carnegie-Mellon University  
Schenley Park  
Pittsburgh, Pennsylvania 15200

1

T. P. Giammo  
Department of HEW  
Washington, D. C.

1

P. Kiyiat  
FEDSIM  
Washington, D. C.

1

Dean of Research  
(Code 023)  
Naval Postgraduate School  
Monterey, California 93940

1

Library (Code 55)  
Naval Postgraduate School  
Monterey, California 93940

1

Dr. Thomas Varley  
(Code 434)  
Office of Naval Research  
Arlington, Virginia 22217

1

Mr. Marvin Denicoff  
(Code 437)  
Office of Naval Research  
Arlington, Virginia 22217

1

Dr. M. A. Bertin  
Office of Naval Research (Branch)  
Scientific Department  
536 South Clark Street  
Chicago, Illinois 60605

1

Dr. James Frane  
Health Sciences Computing Center  
University of California  
Los Angeles, California 90024

1

Dr. E. T. Florance  
Office of Naval Research (Branch)  
1030 East Green Street  
Pasadena, California 91106

1

Dr. Gloria Grace  
System Development Corporation  
2500 Colorado Avenue  
Santa Monica, California 90406

1

Dr. R. J. Marcus  
Office of Naval Research (Branch)  
1030 East Green Street  
Pasadena, California 91106

1

Dr. Howard L. Morgan  
Department of Management  
University of Pennsylvania  
Philadelphia, Pennsylvania 19104


1

	Copies		Copies
Dr. John Nagay (Code 452) Office of Naval Research Arlington, Virginia 22217	1	Professor D. R. Cox Mathematics Department Imperial College London, England	1
Dr. Diane Ramsey-Klee R-K Research and System Design 2947 Ridgement Drive Malibu, California 90265	1	Dr. J. P. Jacob Dr. E. Altman IBM Research Monterey and Cottle Roads San Jose, California 95100	1 1
Miss Ann Robinson Institute for Social Research Center for Political Studies 426 Thompson Street Ann Arbor, Michigan 48106	1	Mr. Lou R. Hague ACCT 1125 Oak-Knoll Drive Lake Forest, Illinois 60045	1
Dr. Carol Smith System Development Corporation 2500 Colorado Avenue Santa Monica, California 90406	1	Dr. K. Marshall Dr. R. Butterworth Dr. P. Milch Dr. P. A. W. Lewis Dr. D. P. Gaver	1 1 1 5 1
Dr. Fred Thomson California Institute of Technology 1201 East California Blvd. Pasadena, California 91109	1	Department of Operations Research and Administrative Sciences Naval Postgraduate School Monterey, California 93940	
Professor J. P. Lehoczky Statistics Department Carnegie-Mellon University Pittsburgh, Pennsylvania 15213	1		
Dr. G. Thompson GSIA Carnegie-Mellon University Pittsburgh, Pennsylvania 15213	1		
Dean William Cooper SUPA Carnegie-Mellon University Pittsburgh, Pennsylvania 15213	1		
Dr. Henry Solomon Economics Department George Washington University Washington, D. C. 20006	1		
Professor Carl Harris George Washington University Washington, D. C. 20006	1		



U170255

DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01068938 3